



MP-3000-HT-90

MP3000-HT-90
MP3000-HT-90
MP3000-HT-90
SKU: MP3000HT90
MP3000-HT-90 10 gpm/2.83 lpm @ 90° to 210°

Operating Specifications

Arc: 90° to 210°
Operating Pressure: 2.8 bar/280 kPa
Precipitation Rate: 10 gpm
Radius: 8.2 - 9.1 m
Flow: 0.17 - 0.23 lpm/2.83 - 3.83 gpm

Shipping Information

UPC-A: 0611698153208
10/200
10/200
138400
132000
1290

Additional Information

90° - 210°
Approx 0.4 in/hr
22' - 30'

MP

MP1000

0.5 to 4.5 m
0° to 210°
210° to 270°
270° to 360°

								in/hr	
	bar	kPa			m	m³/hr	l/min		
90° 	1.7	170			-	-	-	-	-
	2.0	200			3.7	0.04	0.64	11	13
	2.5	250			4	0.04	0.72	11	13
	2.8	280			4.1	0.05	0.8	11	13
	3.0	300			4.3	0.05	0.87	11	13
	3.5	350			4.5	0.06	0.95	11	13
	3.8	380			4.5	0.06	1.02	12	14
180° 	1.7	170			-	-	-	-	-
	2.0	200			3.7	0.08	1.29	11	13
	2.5	250			4	0.09	1.44	11	13
	2.8	280			4.1	0.1	1.59	11	13
	3.0	300			4.3	0.1	1.67	11	13
	3.5	350			4.5	0.12	1.9	11	13
	3.8	380			4.5	0.12	1.93	12	13
210° 	1.7	170			-	-	-	-	-
	2.0	200			3.7	0.09	1.52	12	13
	2.5	250			4	0.1	1.71	11	13
	2.8	280			4.1	0.11	1.86	11	13
	3.0	300			4.3	0.12	1.93	11	13
	3.5	350			4.5	0.13	2.16	11	13
	3.8	380			4.5	0.14	2.24	11	13
270° 	1.7	170			-	-	-	-	-
	2.0	200			3.7	0.11	1.82	11	12
	2.5	250			4	0.12	2.01	10	12
	2.8	280			4.1	0.14	2.39	11	13
	3.0	300			4.3	0.15	2.54	11	13
	3.5	350			4.5	0.17	2.73	11	13
	3.8	380			4.5	0.17	2.84	11	13
360° 	1.7	170			-	-	-	-	-
	2.0	200			3.7	0.16	2.62	12	13
	2.5	250			4	0.18	2.92	11	13
	2.8	280			4.1	0.19	3.18	11	13
	3.0	300			4.3	0.2	3.34	11	13
	3.5	350			4.5	0.23	3.71	11	13
	3.8	380			4.5	0.23	3.83	11	13

MP2000

0 - 6.4 m
0° - 210°
210° - 270°
270° - 360°

Copyright © 2026 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://api.hunterirrigation.com/cn/irrigation-product/biaozhun-mp-xuanzhuanshexianpenzui/mp-3000-ht-90020326>