

G-880-D-20-P6



Brand: Golf Irrigation

Product Model: G-880

SKU: G880D20P6

Description: G-880D Golf Rotor, full-circle opposing nozzle configuration, valve-in-head design, integrated Pilot-100 Two-Way Module, nozzle 20 installed, 4.5 bar

Shipping Information

UPC-A: 0611698550052

Ocean Pallet: 180


















Land Pallet: 180

Master Carton: 4



G880

Overall Height 30 cm
 Pop-up Height 8 cm
 Flange Diameter 18 cm
 Inlet Size 1-1/2" Female ACME

TTS-880 / G-880 / G-80B NOZZLE PERFORMANCE DATA* - METRIC										
Nozzle			Pressure		Radius		Flow		Precip mm/hr	
			bar	kPa	m	m ³ /hr	l/min	■	▲	
			Tan  803611	15 ● White	Grey  315317	3.4	344	14.9	3.23	53.8
			4.1	413	15.5	3.57	59.4	14.8	17.0	
			4.5	450	15.9	3.73	62.1	14.8	17.1	
			4.8	482	16.2	3.86	64.4	14.8	17.1	
			5.5	551	16.8	4.13	68.9	14.7	17.0	
Tan  803611	18 ● Orange	Grey  315317	3.4	344	17.1	3.91	65.1	13.4	15.5	
			4.1	413	17.7	4.28	71.3	13.7	15.8	
			4.5	450	18.0	4.48	74.6	13.8	16.0	
			4.8	482	18.3	4.54	75.7	13.6	15.7	
			5.5	551	18.6	4.82	80.3	13.9	16.1	
Tan  803611	20 ● Brown	Grey  3153147	3.4	344	17.4	4.18	69.7	13.8	16.0	
			4.1	413	18.0	4.61	76.8	14.3	16.5	
			4.5	450	18.6	4.86	81.0	14.1	16.2	
			4.8	482	19.2	4.91	81.8	13.3	15.4	
			5.5	551	19.5	5.16	85.9	13.5	15.6	
Tan  803611	23 ● Green	Lt. Blue  315311	3.4	344	19.2	4.91	81.8	13.3	15.4	
			4.1	413	19.8	5.22	87.1	13.3	15.4	
			4.5	450	20.1	5.45	90.8	13.5	15.6	
			4.8	482	20.4	5.66	94.3	13.6	15.7	
			5.5	551	20.7	6.04	100.7	14.1	16.2	
Tan  803611	25 ● Blue	Lt. Blue  315311	4.5	450	21.6	6.50	108.3	13.9	16.0	
			4.8	482	22.3	6.75	112.5	13.6	15.7	
			5.5	551	22.6	7.19	119.8	14.1	16.3	
			6.2	620	22.9	7.65	127.5	14.6	16.9	
			6.9	689	23.5	8.12	135.3	14.7	17.0	
Tan  803611	33 ● Grey	Lt. Blue  315311	4.5	450	22.6	7.02	117.0	13.8	15.9	
			4.8	482	22.9	7.27	121.1	13.9	16.1	
			5.5	551	23.5	7.77	129.5	14.1	16.3	
			6.2	620	24.1	8.22	137.0	14.2	16.4	
			6.9	689	24.7	8.68	144.6	14.2	16.4	
Tan  803611	38 ● Red	Lt. Blue  315311	4.5	450	23.5	7.97	132.9	14.5	16.7	
			4.8	482	24.1	8.31	138.5	14.3	16.6	
			5.5	551	25.0	8.84	147.3	14.1	16.3	
			6.2	620	25.6	9.38	156.3	14.3	16.5	
			6.9	689	26.5	9.90	165.0	14.1	16.3	
Tan  803611	43 ● Dk. Brown	Blue  315311	-	-	-	-	-	-	-	
			4.8	482	25.3	9.38	156.3	14.7	16.9	
			5.5	551	25.9	9.90	165.0	14.8	17.0	
			6.2	620	26.5	10.52	175.3	15.0	17.3	
			6.9	689	27.1	11.09	184.7	15.1	17.4	
Dk. Brown  803610	48 ● Dk. Green	Dk. Blue  833500	-	-	-	-	-	-	-	
			4.8	482	27.4	10.65	177.5	14.2	16.3	
			5.5	551	28.0	11.11	185.1	14.1	16.3	
			6.2	620	28.7	11.46	191.0	14.0	16.1	
			6.9	689	29.3	12.15	202.5	14.2	16.4	
Dk. Brown  803610	53 ● Dk. Blue	Dk. Blue  833500	-	-	-	-	-	-	-	
			4.8	482	27.7	11.31	188.5	14.7	17.0	
			5.5	551	28.3	11.86	197.7	14.8	17.0	
			6.2	620	29.0	12.61	210.1	15.0	17.4	
			6.9	689	29.6	13.29	221.4	15.2	17.6	

Note: Nozzle plug P/N 315300 installed in the front side of the nozzle housing.
 * Preliminary performance data.