



G-990-D-63-P1

Brand: Golf Irrigation

Product Model: G-990

SKU: G990D63P1

Description: G-990D Golf Rotor, full-circle opposing nozzle configuration, valve-in-head design, integrated Pilot-100 Two-Way Module, nozzle 63 installed, 6.9 bar

Shipping Information

UPC-A: 0611698555019

Origin: MADE IN MEXICO

Ocean Pallet: 180

Land Pallet: 144

Master Carton: 4



G990

Overall Height 34 cm
 Pop-up Height 8 cm
 Flange Diameter 19 cm
 Inlet Size 1-1/2" Female ACME

G990 Nozzle Performance Data*							
Nozzle	Pressure		Radius m	Flow		Precip mm/hr	
	bar	kPa		m ³ /hr	l/min	■	▲
25 ● Lt. Blue	5.5	551	22.3	6.93	115.2	14.0	16.2
	6.2	620	22.9	7.36	122.6	14.1	16.3
	6.9	689	23.2	7.79	129.8	14.5	16.8
	7.6	758	23.8	8.29	138.2	14.7	16.9
	8.3	827	24.1	8.72	145.4	15.0	17.4
33 ● Grey	5.5	551	23.5	8.25	137.4	15.0	17.3
	6.2	620	23.8	8.72	145.4	15.4	17.8
	6.9	689	24.4	9.22	153.7	15.5	17.9
	7.6	758	24.7	9.70	161.6	15.9	18.4
	8.3	827	25.0	10.20	170.0	16.3	18.9
38 ● Red	5.5	551	24.4	9.22	153.7	15.5	17.9
	6.2	620	25.0	9.75	162.4	15.6	18.0
	6.9	689	25.3	10.29	171.4	16.1	18.6
	7.6	758	25.9	10.84	180.6	16.1	18.6
	8.3	827	26.2	11.40	190.0	16.6	19.2
43 ● Dk. Brown	5.5	551	25.3	10.49	174.9	16.4	18.9
	6.2	620	25.6	11.04	184.0	16.8	19.4
	6.9	689	25.9	11.56	192.7	17.2	19.9
	7.6	758	26.2	12.13	202.1	17.7	20.4
	8.3	827	26.5	12.70	211.6	18.1	20.8
48 ● Dk. Green	5.5	551	26.2	11.27	187.8	16.4	18.9
	6.2	620	27.1	11.93	198.7	16.2	18.7
	6.9	689	27.4	12.45	207.4	16.5	19.1
	7.6	758	27.7	13.02	216.9	16.9	19.5
	8.3	827	28.0	13.52	225.2	17.2	19.8
53 ● Dk. Blue	5.5	551	27.1	12.31	205.2	16.7	19.3
	6.2	620	27.4	12.88	214.6	17.1	19.8
	6.9	689	28.0	13.45	224.1	17.1	19.7
	7.6	758	28.3	14.02	233.6	17.4	20.1
	8.3	827	28.7	14.58	243.0	17.8	20.5
63 ● Black	5.5	551	28.0	14.36	23.92	18.3	21.1
	6.2	620	28.7	14.97	249.5	18.2	21.1
	6.9	689	29.3	15.76	265.7	18.4	21.3
	7.6	758	29.6	16.36	272.5	18.7	21.6
	8.3	827	29.9	17.01	283.5	19.1	22.0
73 ● Orange	5.5	551	29.3	16.38	272.9	19.1	22.1
	6.2	620	29.9	17.04	283.9	19.1	22.0
	6.9	689	30.2	17.67	297.5	19.4	22.4
	7.6	758	31.1	18.29	304.7	18.9	21.8
	8.3	827	31.4	18.92	315.3	19.2	22.2

Note: *Complies to ASAE standard. All precipitation rates calculated for 360° operation. All triangular rates are equilateral.
 ** For low angle nozzle performance, reduce radius by 15

Copyright © 2026 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://api.hunterirrigation.com/en-metric/irrigation-product/g-990/g-990-d-63-p1>
 020326