



## MP-LCS-HT-515

**Brand:** Landscape Irrigation

**Product Line:** MP Rotator Nozzles

**Product Model:** MP Rotator™ Strip Nozzle

**SKU:** MPLCSHT515

**Description:** MP Rotator Nozzle, left corner strip, 1.5 m x 4.5 m pattern, male threaded, ivory

---

### Operating Specifications

**Arc:** Left corner strip, 5' x 15'

**Operating Pressure:** 2.8 bar; 280 kPa

**Precipitation Rate:** 10 mm/hr

**Radius:** 1.5 x 4.5 m

**Flow:** 0.04 to 0.05 m<sup>3</sup>/hr; 0.64 to 0.91 l/min

---

### Shipping Information

**UPC-A:** 0611698153277

**Qty. / Bag:** 10/200

**Origin:** Made in USA

**Ocean Pallet:** 38400

**Land Pallet:** 32000




**Master Carton:** 200

### Additional Information

**Arc:** 45° - 105°

**Precipitation Rate:** Approx 10 mm/hr Approx 20 mm/hr

**MP Rotator Performance Data Side Strips**

Arc	MP-LCS-515: Ivory, MP Left Corner Strip MP-RCS-515: Copper, MP Right Corner Strip MP-SS-530 Brown, MP Side Strip							
	Pressure			Radius	Flow		Precip. mm/hr	
	bar	kPa		m	m <sup>3</sup> /hr	l/min	■	▲
Left Strip 	2.1	210		1.2 x 4.2	0.04	0.64	31	15
	2.5	250		1.4 x 4.4	0.04	0.68	27	13
	<b>2.8</b>	<b>280</b>		<b>1.5 x 4.5</b>	<b>0.04</b>	<b>0.72</b>	<b>26</b>	<b>13</b>
	3.0	300		1.6 x 4.6	0.05	0.79	26	13
	3.5	350		1.7 x 4.7	0.05	0.87	26	13
	3.8	380		1.8 x 4.8	0.05	0.91	25	13
Right Strip 	2.1	210		1.2 x 4.2	0.04	0.64	31	15
	2.5	250		1.4 x 4.4	0.04	0.68	27	13
	<b>2.8</b>	<b>280</b>		<b>1.5 x 4.5</b>	<b>0.04</b>	<b>0.72</b>	<b>26</b>	<b>13</b>
	3.0	300		1.6 x 4.6	0.05	0.79	26	13
	3.5	350		1.7 x 4.7	0.05	0.87	26	13
	3.8	380		1.8 x 4.8	0.05	0.91	25	13
Side Strip 	2.1	210		1.2 x 8.4	0.07	1.25	30	15
	2.5	250		1.4 x 8.7	0.08	1.36	27	13
	<b>2.8</b>	<b>280</b>		<b>1.5 x 9.0</b>	<b>0.09</b>	<b>1.44</b>	<b>26</b>	<b>13</b>
	3.0	300		1.6 x 9.3	0.09	1.55	25	13
	3.5	350		1.7 x 9.6	0.10	1.67	24	12
	3.8	380		1.8 x 9.9	0.11	1.79	24	12

**Bold** = Recommended pressure

**Note:** Strip pattern radius can be adjusted by 25%. MP Rotator is designed to maintain matched precipitation after radius adjustment. To match the precipitation rate of Standard MP Rotator models, use single-row or triangular spacing. To match the precipitation rate of MP Rotator MP800 Nozzles, use rectangular spacing.

Copyright © 2026 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://api.hunterirrigation.com/en-metric/irrigation-product/mp-rotator-m-strip-nozzle/mp-lcs-ht-515>  
020326