



15H

Brand: Landscape Irrigation

Product Line: Nozzles

Product Model: Pro Fixed Nozzles

SKU: 15T

Description: Pro Fixed Nozzle, 4.6 m radius, 180°, fixed arc, female thread

Shipping Information

UPC-A: 0611698154724

Qty. / Bag: 25/250

Ocean Pallet: 52000

Land Pallet: 40000

Master Carton: 250

Additional Information

Arc: 120°





Precipitation Rate: Approx 40 mm/hr

Radius: 4.6 m

PRO-SPRAY FIXED ARC NOZZLES PERFORMANCE DATA





Nozzle 8 Blue

Radius: 1.5 m
Fixed ¼, ½, Full
Trajectory 0°

Arc	Position	Pressure		Radius m	Flow		Precip mm/hr	
		bar	kPa		m³/hr	l/min	■	▲
90° 	Q	1.0	100	1.1	0.02	0.30	60	69
		1.5	150	1.3	0.02	0.38	54	62
		2.0	200	1.5	0.03	0.45	48	55
		2.1	210	1.5	0.03	0.46	49	57
		2.5	250	1.7	0.03	0.51	42	49
120° 	T	1.0	100					
		1.5	150					
		2.0	200					
		2.1	210					
Use Hunter 4A Nozzle								
180° 	H	1.0	100	1.1	0.40	0.60	60	69
		1.5	150	1.3	0.05	0.76	54	62
		2.0	200	1.5	0.05	0.90	48	53
		2.1	210	1.5	0.06	0.92	49	57
360° 	F	2.5	250	1.7	0.06	1.02	42	49
		1.0	100	1.1	0.07	1.2	60	69
		1.5	150	1.3	0.09	1.52	54	62
		2.0	200	1.5	0.11	1.79	48	55
		2.1	210	1.5	0.11	1.85	49	57
		2.5	250	1.7	0.12	2.04	42	49

Nozzle 8 Brown

Radius: 2.4 m
Fixed ¼, ½, Full
Trajectory 15°

Arc	Position	Pressure		Radius m	Flow		Precip mm/hr	
		bar	kPa		m³/hr	l/min	■	▲
90° 	Q	1.0	100	1.7	0.04	0.62	51	59
		1.5	150	2.1	0.05	0.84	46	53
		2.0	200	2.4	0.06	1.00	42	48
		2.1	210	2.4	0.06	1.03	43	49
		2.5	250	2.7	0.07	1.13	37	43
120° 	T	1.0	100	1.7	0.05	0.83	51	59
		1.5	150	2.1	0.07	1.12	46	53
		2.0	200	2.4	0.08	1.33	42	48
		2.1	210	2.4	0.08	1.37	43	49
180° 	H	2.5	250	2.7	0.09	1.51	37	33
		1.0	100	1.7	0.08	1.33	55	64
		1.5	150	2.1	0.10	1.69	46	53
		2.0	200	2.4	0.12	1.99	42	48
		2.1	210	2.4	0.12	2.05	43	49
360° 	F	2.5	250	2.7	0.14	2.27	37	43
		1.0	100	1.7	0.16	2.67	55	64
		1.5	150	2.1	0.20	3.37	46	53
		2.0	200	2.4	0.24	3.99	42	48
		2.1	210	2.4	0.25	4.10	43	49
		2.5	250	2.7	0.27	4.54	37	43

Nozzle 10 Red

Radius: 3.0 m
Fixed ¼, ½, Full
Trajectory 15°

Arc	Position	Pressure		Radius m	Flow		Precip mm/hr	
		bar	kPa		m³/hr	l/min	■	▲

Arc	Position	Pressure	Radius	Flow	Precip mm/hr			
90°	Q	1.0	100	2.4	0.07	1.08	45	52
		1.5	150	2.7	0.08	1.33	44	50
		2.0	200	3.0	0.09	1.53	41	47
		2.1	210	3.0	0.09	1.57	42	48
		2.5	250	3.3	0.10	1.71	38	44
120°	T	1.0	100	2.4	0.09	1.44	45	52
		1.5	150	2.7	0.11	1.77	44	50
		2.0	200	3.0	0.12	2.04	41	47
		2.1	210	3.0	0.13	2.09	42	48
		2.5	250	3.3	0.21	3.43	38	44
180°	H	1.0	100	2.4	0.13	2.17	45	52
		1.5	150	2.7	0.16	2.65	44	50
		2.0	200	3.0	0.18	3.06	41	47
		2.1	210	3.0	0.19	3.14	42	48
		2.5	250	3.3	0.21	3.43	38	44
360°	F	1.0	100	2.4	0.26	4.33	45	52
		1.5	150	2.7	0.32	5.31	44	50
		2.0	200	3.0	0.37	6.13	41	47
		2.1	210	3.0	0.38	6.28	42	48
		2.5	250	3.3	0.41	6.85	38	44

Nozzle Green

Radius: 3.7 m
Fixed ¼, ½, ¾, Full
Trajectory 28°

Arc	Position	Pressure		Radius	Flow		Precip mm/hr	
		bar	kPa		m³/hr	l/min	■	▲
90°	Q	1.0	100	3.0	0.10	1.58	42	49
		1.5	150	3.4	0.12	2.00	42	48
		2.0	200	3.7	0.14	2.37	41	48
		2.1	210	3.7	0.15	2.43	43	49
		2.5	250	4.0	0.16	2.69	40	47
120°	T	1.0	100	3.0	0.13	2.11	42	49
		1.5	150	3.4	0.16	2.67	42	48
		2.0	200	3.7	0.19	3.16	41	48
		2.1	210	3.7	0.19	3.25	43	49
		2.5	250	4.0	0.22	3.59	40	47
180°	H	1.0	100	3.0	0.19	3.17	42	49
		1.5	150	3.4	0.24	4.01	42	48
		2.0	200	3.7	0.28	4.73	41	48
		2.1	210	3.7	0.29	4.87	43	49
		2.5	250	4.0	0.32	5.39	40	47
360°	F	1.0	100	3.0	0.38	6.33	42	49
		1.5	150	3.4	0.48	8.01	42	48
		2.0	200	3.7	0.57	9.47	41	48
		2.1	210	3.7	0.58	9.74	43	49
		2.5	250	4.0	0.65	10.78	40	47

Nozzle Black

Radius: 4.6 m
Fixed ¼, ½, ¾, Full
Trajectory 28°

Arc	Position	Pressure		Radius	Flow		Precip mm/hr	
		bar	kPa		m³/hr	l/min	■	▲
90°	Q	1.0	100	3.9	0.15	2.50	39	46
		1.5	150	4.2	0.18	3.06	42	48
		2.0	200	4.6	0.21	3.54	40	46
		2.1	210	4.6	0.22	3.62	41	47
		2.5	250	4.9	0.24	3.95	40	46
120°	T	1.0	100	3.9	0.20	3.33	39	46
		1.5	150	4.2	0.24	4.08	42	48
		2.0	200	4.6	0.28	4.71	40	46
		2.1	210	4.6	0.29	4.83	41	47
		2.5	250	4.9	0.32	5.27	40	46
180°	H	1.0	100	3.9	0.30	5.00	39	46
		1.5	150	4.2	0.37	6.12	42	48
		2.0	200	4.6	0.42	7.07	40	46
		2.1	210	4.6	0.43	7.25	41	47
		2.5	250	4.9	0.47	7.91	40	46
360°	F	1.0	100	3.9	0.60	10.00	39	46
		1.5	150	4.2	0.73	12.25	42	48
		2.0	200	4.6	0.85	14.14	40	46
		2.1	210	4.6	0.87	14.49	41	47
		2.5	250	4.9	0.95	15.81	40	46

Copyright © 2026 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://api.hunterirrigation.com/en-metric/irrigation-product/pro-fixed-nozzles/15h020326>