

G-885-INT-20

Brand: Golf Irrigation

Product Model: GT-885

SKU: G885INT20

Description: G-885 Golf Rotor, full-/part-circle internal assembly, upper snap ring, nozzle 20 installed

Shipping Information


UPC-A: 0611698556573

Ocean Pallet: 180

Land Pallet: 144

Master Carton: 4

| TTS-885 / G885 / G85B NOZZLE PERFORMANCE DATA* - METRIC | | | | | | | | | |
|---|--------------------|------------------------|----------|-----|--------|--------------------|-------|-----------------|------|
| Nozzle | | | Pressure | | Radius | Flow | | Precip mm/hr | |
| | | | bar | kPa | m | m ³ /hr | l/min | ■ | ▲ |
| Orange 803603 | 10 Lt. Green | Dk. Green 315312 | 3.4 | 344 | 11.3 | 2.02 | 33.7 | 15.9 | 18.4 |
| | | | 4.1 | 413 | 11.9 | 2.23 | 37.1 | 15.8 | 18.2 |
| | | | 4.5 | 450 | 12.5 | 2.32 | 38.6 | 14.8 | 17.1 |
| | | | - | - | - | - | - | - | - |
| Orange 803603 | 13 Lt. Blue | White 315314 | 3.4 | 344 | 14.3 | 2.59 | 43.2 | 12.6 | 14.6 |
| | | | 4.1 | 413 | 14.6 | 2.79 | 46.6 | 13.1 | 15.1 |
| | | | 4.5 | 450 | 14.9 | 2.93 | 48.8 | 13.1 | 15.2 |
| | | | - | - | - | - | - | - | - |
| Orange 803603 | 15 White | White 315314 | 3.4 | 344 | 15.9 | 2.93 | 48.8 | 11.7 | 13.5 |
| | | | 4.1 | 413 | 15.9 | 3.29 | 54.9 | 13.1 | 15.1 |
| | | | 4.5 | 450 | 16.2 | 3.38 | 56.4 | 13.0 | 15.0 |
| | | | 4.8 | 482 | 16.2 | 3.52 | 58.7 | 13.5 | 15.6 |
| | | | 5.5 | 551 | 16.5 | 3.75 | 62.5 | 13.8 | 16.0 |
| Orange 803603 | 18 Orange | Lt. Green 315313 | 3.4 | 344 | 17.4 | 3.77 | 62.8 | 12.5 | 14.4 |
| | | | 4.1 | 413 | 17.7 | 4.04 | 67.4 | 12.9 | 14.9 |
| | | | 4.5 | 450 | 18.0 | 4.23 | 70.4 | 13.1 | 15.1 |
| | | | 4.8 | 482 | 18.3 | 4.41 | 73.4 | 13.2 | 15.2 |
| | | | 5.5 | 551 | 18.6 | 4.66 | 77.6 | 13.5 | 15.6 |
| Orange 803603 | 20 Tan | Lt. Green 315313 | 3.4 | 344 | 18.0 | 4.07 | 67.8 | 12.6 | 14.5 |
| | | | 4.1 | 413 | 18.6 | 4.43 | 73.8 | 12.8 | 14.8 |
| | | | 4.5 | 450 | 18.9 | 4.50 | 75.0 | 12.6 | 14.5 |
| | | | 4.8 | 482 | 19.2 | 4.68 | 78.0 | 12.7 | 14.7 |
| | | | 5.5 | 551 | 19.5 | 5.02 | 83.7 | 13.2 | 15.2 |
| Orange 803603 | 23 Green | Lt. Green 315313 | 3.4 | 344 | 19.8 | 4.59 | 76.5 | 11.7 | 13.5 |
| | | | 4.1 | 413 | 20.1 | 5.02 | 83.7 | 12.4 | 14.3 |
| | | | 4.5 | 450 | 20.4 | 5.43 | 90.5 | 13.0 | 15.0 |
| | | | 4.8 | 482 | 20.4 | 5.50 | 91.6 | 13.2 | 15.2 |
| | | | 5.5 | 551 | 21.0 | 5.88 | 98.0 | 13.3 | 15.4 |
| Red 803602 | 25 Blue | Green 315310 | 4.5 | 450 | 21.6 | 6.43 | 107.1 | 13.7 | 15.8 |
| | | | 4.8 | 482 | 21.9 | 6.66 | 110.9 | 13.8 | 16.0 |
| | | | 5.5 | 551 | 22.3 | 7.16 | 119.2 | 14.5 | 16.7 |
| | | | 6.2 | 620 | 22.6 | 7.59 | 126.4 | 14.9 | 17.2 |
| | | | 6.9 | 689 | 22.9 | 8.04 | 134.0 | 15.4 | 17.8 |
| Red 803602 | 33 Grey | Green 315310 | 4.5 | 450 | 21.9 | 6.95 | 115.8 | 14.4 | 16.7 |
| | | | 4.8 | 482 | 22.3 | 7.18 | 119.6 | 14.5 | 16.7 |
| | | | 5.5 | 551 | 22.9 | 7.70 | 128.3 | 14.7 | 17.0 |
| | | | 6.2 | 620 | 23.5 | 8.13 | 135.5 | 14.8 | 17.1 |
| | | | 6.9 | 689 | 24.1 | 8.61 | 143.5 | 14.8 | 17.1 |
| Red 803602 | 38 Red | Green 315310 | 4.5 | 450 | 23.2 | 7.93 | 132.1 | 14.8 | 17.1 |
| | | | 4.8 | 482 | 23.8 | 8.22 | 137.0 | 14.5 | 16.8 |
| | | | 5.5 | 551 | 24.4 | 8.88 | 148.0 | 14.9 | 17.2 |
| | | | 6.2 | 620 | 25.0 | 9.36 | 156.0 | 15.0 | 17.3 |
| | | | 6.9 | 689 | 25.6 | 9.88 | 164.7 | 15.1 | 17.4 |
| Red 803602 | 43 Dk. Brown | Green 315310 | - | - | - | - | - | - | |
| | | | 4.8 | 482 | 24.7 | 9.36 | 156.0 | 15.4 | 17.7 |
| | | | 5.5 | 551 | 25.3 | 9.88 | 164.7 | 15.4 | 17.8 |
| | | | 6.2 | 620 | 26.2 | 10.49 | 174.9 | 15.3 | 17.6 |
| | | | 6.9 | 689 | 27.1 | 11.06 | 184.3 | 15.0 | 17.4 |
| Dk. Red 803601 | 48 Dk. Green | Dk. Green 315312 | - | - | - | - | - | - | |
| | | | 4.8 | 482 | 25.3 | 10.52 | 175.3 | 16.4 | 19.0 |
| | | | 5.5 | 551 | 25.9 | 10.99 | 183.2 | 16.4 | 18.9 |
| | | | 6.2 | 620 | 27.1 | 11.74 | 195.7 | 16.0 | 18.4 |
| | | | 6.9 | 689 | 27.7 | 12.38 | 206.3 | 16.1 | 18.6 |
| Dk. Red 803601 | 53 Dk. Blue | Dk. Green 315312 | - | - | - | - | - | - | |
| | | | 4.8 | 482 | 26.5 | 11.52 | 191.9 | 16.4 | 18.9 |
| | | | 5.5 | 551 | 27.1 | 12.06 | 201.0 | 16.4 | 18.9 |
| | | | 6.2 | 620 | 28.0 | 12.81 | 213.5 | 16.3 | 18.8 |
| | | | 6.9 | 689 | 28.7 | 13.54 | 225.6 | 16.5 | 19.0 |



CONTOUR BACK-NOZZLES



Note: Nozzle plug P/N 315300 installed in the back side of the nozzle housing.
Nozzles #10 thru #20 and low-angle nozzles available summer 2013.

Copyright © 2026 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://api.hunterirrigation.com/en-metric/irrigation-product/gt-885/g-885-int-20020326>