

MSBN-25V



Product Line: Nozzles

Product Model: Bubblers & Bubbler Nozzles

SKU: MSBN25V

Description: Multi-Stream Bubbler Nozzle, pressure-compensating, 0.9 l/min, 50° dual streams, female thread





Shipping Information

UPC-A: 0196055028004


Origin: MADE IN MEXICO

Additional Information


Arc: 50°


Multi-Stream Bubbler Performance Data					
Arc	Model	Flow		Radius	m
		m ³ /hr	l/min		
	MSBN-25V *	0.06	0.9	0.46	
	MSBN-50V *	0.11	1.9	0.76	
	MSBN-25Q	0.06	0.9	0.3	
	MSBN-50Q	0.11	1.9	0.5	
	MSBN-50H	0.11	1.9	0.3	
	MSBN-10H	0.23	3.8	0.5	
	MSBN-10F	0.23	3.8	0.3	
	MSBN-20F	0.45	7.6	0.5	

Note: Typical spacing 0.6 to 1.2 m.
Flows shown for pressures between 1.0 and 4.8 bar; 100 and 480 kPa.
* For a 15 cm pop-up, the radius is 0.6 at 0.9 l/min and 0.9 at 1.9 l/min.

PCN / PCB Performance Data				
	Model	Flow		Pattern
		m ³ /hr	l/min	Type
		25	0.06	0.9
50	0.11	1.9	Trickle	
10	0.23	3.8	Umbrella	
20	0.45	7.6	Umbrella	

Note: Typical spacing 0.3 to 0.9 m. Flows shown for pressures between 1.0 and 4.8 bar; 100 and 480 kPa.

AFB Performance Data				
	Model	Flow		Pattern
		m ³ /hr	l/min	Type
	AFB	< 0.45	< 7.6	Trickle / Umbrella

5-CST-B Bubbler Nozzle Performance Data					
	Pressure		Radius	Flow	
	bar	kPa		m ³ /hr	l/min
	1.0	100	1.5	0.07	1.1
1.5	150	1.5	0.07	1.2	
2.0	200	1.5	0.09	1.4	
2.1	210	1.5	0.09	1.5	
2.5	250	1.5	0.10	1.6	

Copyright © 2026 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://api.hunterirrigation.com/en-metric/irrigation-product/bubblers-bubbler-nozzles/msbn-25v>
020326