



PSU-02-8A

Brand: Landscape Irrigation

Product Line: Spray Bodies

Product Model: PS Ultra

SKU: PSU028A


Description: PS Ultra Sprinkler Body, 2" slim pop-up with preinstalled nozzle, 8' radius, adjustable arc (0° to 360°), and ½" inlet; no large filter screen

Dimensions

Height: 5"

Pop-up Height: 2"

Diameter: 1.25"



Shipping Information

UPC-A: 0611698370452

Qty. / Bag: 100

Ocean Pallet: 11700

Land Pallet: 9900

Master Carton: 100

Additional Information

Radius: 8'



PRO ADJUSTABLE NOZZLE PERFORMANCE DATA

4A & 6A

		Nozzle 4A Lt. Green				Nozzle 6A Lt. Blue			
		4 ft Radius Adjustable from 0° to 360° Trajectory 0°				6 ft Radius Adjustable from 0° to 360° Trajectory 0°			
Arc	Pressure	Radius	Flow	Precip in/hr		Radius	Flow	Precip in/hr	
	PSI	ft	GPM			ft	GPM		
 45°	20	3	0.10	7.29	8.42	5	0.15	4.19	4.84
	25	3	0.11	7.12	8.22	5	0.17	4.36	5.03
	30	4	0.13	6.26	7.22	6	0.18	3.85	4.45
	35	4	0.14	6.11	7.06	6	0.18	3.55	4.10
	40	4	0.16	6.36	7.35	6	0.19	3.57	4.12
 90°	20	3	0.19	6.93	8.00	5	0.30	4.19	4.84
	25	3	0.20	6.47	7.47	5	0.34	4.49	5.18
	30	4	0.22	5.29	6.11	6	0.37	3.96	4.57
	35	4	0.24	5.24	6.05	6	0.38	3.75	4.32
	40	4	0.25	4.97	5.74	6	0.40	3.76	4.34
 120°	20	3	0.28	7.65	8.84	5	0.37	3.88	4.48
	25	3	0.30	7.28	8.40	5	0.38	3.76	4.35
	30	4	0.34	6.14	7.09	6	0.44	3.53	4.08
	35	4	0.36	5.81	6.71	6	0.46	3.40	3.93
	40	4	0.37	5.52	6.37	6	0.48	3.38	3.91
 180°	20	3	0.34	6.20	7.16	5	0.50	3.49	4.03
	25	3	0.38	6.15	7.10	5	0.54	3.56	4.12
	30	4	0.45	5.41	6.25	6	0.60	3.21	3.70
	35	4	0.46	5.02	5.80	6	0.64	3.15	3.64
	40	4	0.48	4.77	5.51	6	0.68	3.20	3.69
 240°	20	3	0.58	7.93	9.15	5	0.73	3.82	4.42
	25	3	0.62	7.52	8.68	5	0.78	3.86	4.46
	30	4	0.68	6.14	7.09	6	0.88	3.53	4.08
	35	4	0.74	6.06	6.99	6	0.92	3.40	3.93
	40	4	0.80	5.97	6.89	6	1.02	3.60	4.15
 270°	20	3	0.62	7.53	8.70	5	0.88	4.10	4.73
	25	3	0.66	7.12	8.22	5	0.98	4.31	4.98
	30	4	0.73	5.86	6.76	6	1.10	3.92	4.53
	35	4	0.78	5.67	6.55	6	1.15	3.78	4.36
	40	4	0.84	5.57	6.43	6	1.20	3.76	4.34
 360°	20	3	0.66	6.01	6.94	5	1.05	3.67	4.23
	25	3	0.72	5.82	6.72	5	1.10	3.63	4.19
	30	4	0.80	4.81	5.56	6	1.26	3.37	3.89
	35	4	0.86	4.69	5.42	6	1.30	3.20	3.70
	40	4	0.90	4.47	5.17	6	1.40	3.29	3.80

8A & 10A

		Nozzle  Brown				Nozzle  A Red			
		8 ft Radius Adjustable from 0° to 360 Trajectory 15°				10 ft Radius Adjustable from 0° to 360 Trajectory 15°			
Arc	Pressure	Radius	Flow	Precip in/hr		Radius	Flow	Precip in/hr	
	PSI	ft	GPM			ft	GPM		
 45°	20	7	0.18	2.83	3.27	9	0.20	1.90	2.20
	25	8	0.20	2.74	3.16	10	0.23	1.92	2.22
	30	8	0.22	2.65	3.06	10	0.25	1.93	2.22
	35	9	0.24	2.50	2.89	11	0.28	1.92	2.22
	40	9	0.25	2.38	2.74	11	0.30	1.88	2.17
 90°	20	7	0.36	2.83	3.27	9	0.40	1.90	2.20
	25	8	0.40	2.74	3.16	10	0.45	1.92	2.22
	30	8	0.44	2.65	3.06	10	0.50	1.93	2.22
	35	9	0.47	2.50	2.89	11	0.55	1.92	2.22
 120°	20	7	0.50	2.38	2.74	11	0.59	1.88	2.17
	20	7	0.48	2.83	3.27	9	0.53	1.90	2.20
	25	8	0.53	2.74	3.16	10	0.60	1.92	2.22
	30	8	0.59	2.65	3.06	10	0.67	1.93	2.22
 180°	35	9	0.63	2.50	2.89	11	0.73	1.92	2.22
	40	9	0.67	2.38	2.74	11	0.79	1.88	2.17
	20	7	0.72	2.83	3.27	9	0.80	1.90	2.20
	25	8	0.80	2.74	3.16	10	0.90	1.92	2.22
 240°	30	8	0.88	2.65	3.06	10	1.00	1.93	2.22
	35	9	0.94	2.50	2.89	11	1.10	1.92	2.22
	40	9	1.00	2.38	2.74	11	1.18	1.88	2.17
	20	7	0.96	2.83	3.27	9	1.07	1.90	2.20
 270°	25	8	1.07	2.74	3.16	10	1.20	1.92	2.22
	30	8	1.17	2.65	3.06	10	1.33	1.93	2.22
	35	9	1.25	2.50	2.89	11	1.47	1.92	2.22
	40	9	1.33	2.38	2.74	11	1.57	1.88	2.17
 360°	20	7	1.08	2.83	3.27	9	1.20	1.90	2.20
	25	8	1.20	2.74	3.16	10	1.35	1.92	2.22
	30	8	1.32	2.65	3.06	10	1.50	1.93	2.22
	35	9	1.41	2.50	2.89	11	1.65	1.92	2.22
 360°	40	9	1.05	2.38	2.74	11	1.77	1.88	2.17
	20	7	1.44	2.83	3.27	9	1.60	1.90	2.20
	25	8	1.60	2.74	3.16	10	1.80	1.92	2.22
	30	8	1.76	2.65	3.06	10	2.00	1.93	2.22
 360°	35	9	1.88	2.50	2.89	11	2.20	1.92	2.22
	40	9	2.00	2.38	2.74	11	2.36	1.88	2.17

Strip Pattern Nozzles Performance Data			
Nozzle  Blue			
Arc	Pressure	Width x Length	Flow
	PSI	ft	GPM
 SS-530	20	4 x 28	1.10
	25	5 x 30	1.20
 Side Strip	30	5 x 30	1.30
	35	5 x 30	1.40
	40	5 x 30	1.50
Bold = Recommended pressure			

12A, 15A & 17A

		Nozzle  A Green				Nozzle  A Black				Nozzle  A Grey			
		12 ft Radius Adjustable from 0° to 360 Trajectory 18°				15 ft Radius Adjustable from 0° to 360 Trajectory 28°				17 ft Radius Adjustable from 0° to 360 Trajectory 28°			
Arc	Pressure	Radius	Flow	Precip in/hr		Radius	Flow	Precip in/hr		Radius	Flow	Precip in/hr	
	PSI	ft	GPM			ft	GPM			ft	GPM		
 45°	20	11	0.25	1.59	1.84	14	0.39	1.51	1.75	16	0.49	1.46	1.68
	25	12	0.28	1.60	1.85	15	0.43	1.57	1.82	17	0.57	1.60	1.85
	30	12	0.32	1.68	1.95	15	0.47	1.59	1.84	17	0.58	1.53	1.77
	35	13	0.37	1.80	2.08	16	0.52	1.55	1.79	18	0.63	1.49	1.72
	40	13	0.42	1.91	2.21	17	0.57	1.60	1.85	19	0.69	1.55	1.79
 90°	20	11	0.50	1.59	1.84	14	0.77	1.51	1.75	16	0.97	1.46	1.68
	25	12	0.55	1.60	1.85	15	0.86	1.57	1.82	17	1.13	1.60	1.85
	30	12	0.63	1.68	1.95	15	0.93	1.59	1.84	17	1.15	1.53	1.77
	35	13	0.73	1.80	2.08	16	1.03	1.55	1.79	18	1.25	1.49	1.72
 120°	40	13	0.84	1.91	2.21	17	1.13	1.60	1.85	19	1.38	1.55	1.79
	20	11	0.67	1.59	1.84	14	1.03	1.51	1.75	16	1.29	1.46	1.68

Copyright © 2026 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://api.hunterirrigation.com/irrigation-product/ps-ultra/psu-02-8a>
020326