

# Pro Adjustable Nozzles

For reliable coverage in any landscape setting, choose Pro Adjustable Nozzles.

## KEY BENEFITS

- Adjustable from 0° to 360° for maximum design flexibility
- Easy-grip top for simple adjustment
- Strong edges for a defined pattern with better wind resistance
- Large water droplets minimize misting with better uniformity
- Even distribution results in better coverage
- Color-coded for easy field identification

## Operating Specifications

- Recommended operating pressure: 30 PSI
- Pair with Pro-Spray® PRS30 pop-up for pressure regulation to 30 PSI
- Warranty period: 2 years



|                                                                                            |          | NOZZLE 4A LT. GREEN •                                     |      |              |      | NOZZLE 6A LT. BLUE •                                      |      |              |      |
|--------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------|------|--------------|------|-----------------------------------------------------------|------|--------------|------|
|                                                                                            |          | 4 ft Radius<br>Adjustable from 0° to 360<br>Trajectory 0° |      |              |      | 6 ft Radius<br>Adjustable from 0° to 360<br>Trajectory 0° |      |              |      |
| Arc                                                                                        | Pressure | Radius                                                    | Flow | Precip in/hr |      | Radius                                                    | Flow | Precip in/hr |      |
|                                                                                            | PSI      | ft                                                        | GPM  | ■            | ▲    | ft                                                        | GPM  | ■            | ▲    |
| 45°<br>    | 20       | 3                                                         | 0.10 | 7.29         | 8.42 | 5                                                         | 0.15 | 4.19         | 4.84 |
|                                                                                            | 25       | 3                                                         | 0.11 | 7.12         | 8.22 | 5                                                         | 0.17 | 4.36         | 5.03 |
|                                                                                            | 30       | 4                                                         | 0.13 | 6.26         | 7.22 | 6                                                         | 0.18 | 3.85         | 4.45 |
|                                                                                            | 35       | 4                                                         | 0.14 | 6.11         | 7.06 | 6                                                         | 0.18 | 3.55         | 4.10 |
|                                                                                            | 40       | 4                                                         | 0.16 | 6.36         | 7.35 | 6                                                         | 0.19 | 3.57         | 4.12 |
| 90°<br>    | 20       | 3                                                         | 0.19 | 6.93         | 8.00 | 5                                                         | 0.30 | 4.19         | 4.84 |
|                                                                                            | 25       | 3                                                         | 0.20 | 6.47         | 7.47 | 5                                                         | 0.34 | 4.49         | 5.18 |
|                                                                                            | 30       | 4                                                         | 0.22 | 5.29         | 6.11 | 6                                                         | 0.37 | 3.96         | 4.57 |
|                                                                                            | 35       | 4                                                         | 0.24 | 5.24         | 6.05 | 6                                                         | 0.38 | 3.75         | 4.32 |
|                                                                                            | 40       | 4                                                         | 0.25 | 4.97         | 5.74 | 6                                                         | 0.40 | 3.76         | 4.34 |
| 120°<br>   | 20       | 3                                                         | 0.28 | 7.65         | 8.84 | 5                                                         | 0.37 | 3.88         | 4.48 |
|                                                                                            | 25       | 3                                                         | 0.30 | 7.28         | 8.40 | 5                                                         | 0.38 | 3.76         | 4.35 |
|                                                                                            | 30       | 4                                                         | 0.34 | 6.14         | 7.09 | 6                                                         | 0.44 | 3.53         | 4.08 |
|                                                                                            | 35       | 4                                                         | 0.36 | 5.81         | 6.71 | 6                                                         | 0.46 | 3.40         | 3.93 |
|                                                                                            | 40       | 4                                                         | 0.37 | 5.52         | 6.37 | 6                                                         | 0.48 | 3.38         | 3.91 |
| 180°<br>  | 20       | 3                                                         | 0.34 | 6.20         | 7.16 | 5                                                         | 0.50 | 3.49         | 4.03 |
|                                                                                            | 25       | 3                                                         | 0.38 | 6.15         | 7.10 | 5                                                         | 0.54 | 3.56         | 4.12 |
|                                                                                            | 30       | 4                                                         | 0.45 | 5.41         | 6.25 | 6                                                         | 0.60 | 3.21         | 3.70 |
|                                                                                            | 35       | 4                                                         | 0.46 | 5.02         | 5.80 | 6                                                         | 0.64 | 3.15         | 3.64 |
|                                                                                            | 40       | 4                                                         | 0.48 | 4.77         | 5.51 | 6                                                         | 0.68 | 3.20         | 3.69 |
| 240°<br> | 20       | 3                                                         | 0.58 | 7.93         | 9.15 | 5                                                         | 0.73 | 3.82         | 4.42 |
|                                                                                            | 25       | 3                                                         | 0.62 | 7.52         | 8.68 | 5                                                         | 0.78 | 3.86         | 4.46 |
|                                                                                            | 30       | 4                                                         | 0.68 | 6.14         | 7.09 | 6                                                         | 0.88 | 3.53         | 4.08 |
|                                                                                            | 35       | 4                                                         | 0.74 | 6.06         | 6.99 | 6                                                         | 0.92 | 3.40         | 3.93 |
|                                                                                            | 40       | 4                                                         | 0.80 | 5.97         | 6.89 | 6                                                         | 1.02 | 3.60         | 4.15 |
| 270°<br> | 20       | 3                                                         | 0.62 | 7.53         | 8.70 | 5                                                         | 0.88 | 4.10         | 4.73 |
|                                                                                            | 25       | 3                                                         | 0.66 | 7.12         | 8.22 | 5                                                         | 0.98 | 4.31         | 4.98 |
|                                                                                            | 30       | 4                                                         | 0.73 | 5.86         | 6.76 | 6                                                         | 1.10 | 3.92         | 4.53 |
|                                                                                            | 35       | 4                                                         | 0.78 | 5.67         | 6.55 | 6                                                         | 1.15 | 3.78         | 4.36 |
|                                                                                            | 40       | 4                                                         | 0.84 | 5.57         | 6.43 | 6                                                         | 1.20 | 3.76         | 4.34 |
| 360°<br> | 20       | 3                                                         | 0.66 | 6.01         | 6.94 | 5                                                         | 1.05 | 3.67         | 4.23 |
|                                                                                            | 25       | 3                                                         | 0.72 | 5.82         | 6.72 | 5                                                         | 1.10 | 3.63         | 4.19 |
|                                                                                            | 30       | 4                                                         | 0.80 | 4.81         | 5.56 | 6                                                         | 1.26 | 3.37         | 3.89 |
|                                                                                            | 35       | 4                                                         | 0.86 | 4.69         | 5.42 | 6                                                         | 1.30 | 3.20         | 3.70 |
|                                                                                            | 40       | 4                                                         | 0.90 | 4.47         | 5.17 | 6                                                         | 1.40 | 3.29         | 3.80 |

|                                                                                            |          | NOZZLE 8A BROWN •                                          |      |              |      | NOZZLE 10A RED •                                            |      |              |      |
|--------------------------------------------------------------------------------------------|----------|------------------------------------------------------------|------|--------------|------|-------------------------------------------------------------|------|--------------|------|
|                                                                                            |          | 8 ft Radius<br>Adjustable from 0° to 360<br>Trajectory 15° |      |              |      | 10 ft Radius<br>Adjustable from 0° to 360<br>Trajectory 15° |      |              |      |
| Arc                                                                                        | Pressure | Radius                                                     | Flow | Precip in/hr |      | Radius                                                      | Flow | Precip in/hr |      |
|                                                                                            | PSI      | ft                                                         | GPM  | ■            | ▲    | ft                                                          | GPM  | ■            | ▲    |
| 45°<br>    | 20       | 7                                                          | 0.18 | 2.83         | 3.27 | 9                                                           | 0.20 | 1.90         | 2.20 |
|                                                                                            | 25       | 8                                                          | 0.20 | 2.74         | 3.16 | 10                                                          | 0.23 | 1.92         | 2.22 |
|                                                                                            | 30       | 8                                                          | 0.22 | 2.65         | 3.06 | 10                                                          | 0.25 | 1.93         | 2.22 |
|                                                                                            | 35       | 9                                                          | 0.24 | 2.50         | 2.89 | 11                                                          | 0.28 | 1.92         | 2.22 |
|                                                                                            | 40       | 9                                                          | 0.25 | 2.38         | 2.74 | 11                                                          | 0.30 | 1.88         | 2.17 |
| 90°<br>    | 20       | 7                                                          | 0.36 | 2.83         | 3.27 | 9                                                           | 0.40 | 1.90         | 2.20 |
|                                                                                            | 25       | 8                                                          | 0.40 | 2.74         | 3.16 | 10                                                          | 0.45 | 1.92         | 2.22 |
|                                                                                            | 30       | 8                                                          | 0.44 | 2.65         | 3.06 | 10                                                          | 0.50 | 1.93         | 2.22 |
|                                                                                            | 35       | 9                                                          | 0.47 | 2.50         | 2.89 | 11                                                          | 0.55 | 1.92         | 2.22 |
|                                                                                            | 40       | 9                                                          | 0.50 | 2.38         | 2.74 | 11                                                          | 0.59 | 1.88         | 2.17 |
| 120°<br>   | 20       | 7                                                          | 0.48 | 2.83         | 3.27 | 9                                                           | 0.53 | 1.90         | 2.20 |
|                                                                                            | 25       | 8                                                          | 0.53 | 2.74         | 3.16 | 10                                                          | 0.60 | 1.92         | 2.22 |
|                                                                                            | 30       | 8                                                          | 0.59 | 2.65         | 3.06 | 10                                                          | 0.67 | 1.93         | 2.22 |
|                                                                                            | 35       | 9                                                          | 0.63 | 2.50         | 2.89 | 11                                                          | 0.73 | 1.92         | 2.22 |
|                                                                                            | 40       | 9                                                          | 0.67 | 2.38         | 2.74 | 11                                                          | 0.79 | 1.88         | 2.17 |
| 180°<br>  | 20       | 7                                                          | 0.72 | 2.83         | 3.27 | 9                                                           | 0.80 | 1.90         | 2.20 |
|                                                                                            | 25       | 8                                                          | 0.80 | 2.74         | 3.16 | 10                                                          | 0.90 | 1.92         | 2.22 |
|                                                                                            | 30       | 8                                                          | 0.88 | 2.65         | 3.06 | 10                                                          | 1.00 | 1.93         | 2.22 |
|                                                                                            | 35       | 9                                                          | 0.94 | 2.50         | 2.89 | 11                                                          | 1.10 | 1.92         | 2.22 |
|                                                                                            | 40       | 9                                                          | 1.00 | 2.38         | 2.74 | 11                                                          | 1.18 | 1.88         | 2.17 |
| 240°<br> | 20       | 7                                                          | 0.96 | 2.83         | 3.27 | 9                                                           | 1.07 | 1.90         | 2.20 |
|                                                                                            | 25       | 8                                                          | 1.07 | 2.74         | 3.16 | 10                                                          | 1.20 | 1.92         | 2.22 |
|                                                                                            | 30       | 8                                                          | 1.17 | 2.65         | 3.06 | 10                                                          | 1.33 | 1.93         | 2.22 |
|                                                                                            | 35       | 9                                                          | 1.25 | 2.50         | 2.89 | 11                                                          | 1.47 | 1.92         | 2.22 |
|                                                                                            | 40       | 9                                                          | 1.33 | 2.38         | 2.74 | 11                                                          | 1.57 | 1.88         | 2.17 |
| 270°<br> | 20       | 7                                                          | 1.08 | 2.83         | 3.27 | 9                                                           | 1.20 | 1.90         | 2.20 |
|                                                                                            | 25       | 8                                                          | 1.20 | 2.74         | 3.16 | 10                                                          | 1.35 | 1.92         | 2.22 |
|                                                                                            | 30       | 8                                                          | 1.32 | 2.65         | 3.06 | 10                                                          | 1.50 | 1.93         | 2.22 |
|                                                                                            | 35       | 9                                                          | 1.41 | 2.50         | 2.89 | 11                                                          | 1.65 | 1.92         | 2.22 |
|                                                                                            | 40       | 9                                                          | 1.05 | 2.38         | 2.74 | 11                                                          | 1.77 | 1.88         | 2.17 |
| 360°<br> | 20       | 7                                                          | 1.44 | 2.83         | 3.27 | 9                                                           | 1.60 | 1.90         | 2.20 |
|                                                                                            | 25       | 8                                                          | 1.60 | 2.74         | 3.16 | 10                                                          | 1.80 | 1.92         | 2.22 |
|                                                                                            | 30       | 8                                                          | 1.76 | 2.65         | 3.06 | 10                                                          | 2.00 | 1.93         | 2.22 |
|                                                                                            | 35       | 9                                                          | 1.88 | 2.50         | 2.89 | 11                                                          | 2.20 | 1.92         | 2.22 |
|                                                                                            | 40       | 9                                                          | 2.00 | 2.38         | 2.74 | 11                                                          | 2.36 | 1.88         | 2.17 |

|                                                                                            |          | NOZZLE 12A GREEN •                                          |      |              |      | NOZZLE 15A BLACK •                                          |      |              |      | NOZZLE 17A GREY •                                           |      |              |      |
|--------------------------------------------------------------------------------------------|----------|-------------------------------------------------------------|------|--------------|------|-------------------------------------------------------------|------|--------------|------|-------------------------------------------------------------|------|--------------|------|
|                                                                                            |          | 12 ft Radius<br>Adjustable from 0° to 360<br>Trajectory 18° |      |              |      | 15 ft Radius<br>Adjustable from 0° to 360<br>Trajectory 28° |      |              |      | 17 ft Radius<br>Adjustable from 0° to 360<br>Trajectory 28° |      |              |      |
| Arc                                                                                        | Pressure | Radius                                                      | Flow | Precip in/hr |      | Radius                                                      | Flow | Precip in/hr |      | Radius                                                      | Flow | Precip in/hr |      |
|                                                                                            | PSI      | ft                                                          | GPM  | ■            | ▲    | ft                                                          | GPM  | ■            | ▲    | ft                                                          | GPM  | ■            | ▲    |
| 45°<br>    | 20       | 11                                                          | 0.25 | 1.59         | 1.84 | 14                                                          | 0.39 | 1.51         | 1.75 | 16                                                          | 0.49 | 1.46         | 1.68 |
|                                                                                            | 25       | 12                                                          | 0.28 | 1.60         | 1.85 | 15                                                          | 0.43 | 1.57         | 1.82 | 17                                                          | 0.57 | 1.60         | 1.85 |
|                                                                                            | 30       | 12                                                          | 0.32 | 1.68         | 1.95 | 15                                                          | 0.47 | 1.59         | 1.84 | 17                                                          | 0.58 | 1.53         | 1.77 |
|                                                                                            | 35       | 13                                                          | 0.37 | 1.80         | 2.08 | 16                                                          | 0.52 | 1.55         | 1.79 | 18                                                          | 0.63 | 1.49         | 1.72 |
|                                                                                            | 40       | 13                                                          | 0.42 | 1.91         | 2.21 | 17                                                          | 0.57 | 1.60         | 1.85 | 19                                                          | 0.69 | 1.55         | 1.79 |
| 90°<br>    | 20       | 11                                                          | 0.50 | 1.59         | 1.84 | 14                                                          | 0.77 | 1.51         | 1.75 | 16                                                          | 0.97 | 1.46         | 1.68 |
|                                                                                            | 25       | 12                                                          | 0.55 | 1.60         | 1.85 | 15                                                          | 0.86 | 1.57         | 1.82 | 17                                                          | 1.13 | 1.60         | 1.85 |
|                                                                                            | 30       | 12                                                          | 0.63 | 1.68         | 1.95 | 15                                                          | 0.93 | 1.59         | 1.84 | 17                                                          | 1.15 | 1.53         | 1.77 |
|                                                                                            | 35       | 13                                                          | 0.73 | 1.80         | 2.08 | 16                                                          | 1.03 | 1.55         | 1.79 | 18                                                          | 1.25 | 1.49         | 1.72 |
|                                                                                            | 40       | 13                                                          | 0.84 | 1.91         | 2.21 | 17                                                          | 1.13 | 1.60         | 1.85 | 19                                                          | 1.38 | 1.55         | 1.79 |
| 120°<br>   | 20       | 11                                                          | 0.67 | 1.59         | 1.84 | 14                                                          | 1.03 | 1.51         | 1.75 | 16                                                          | 1.29 | 1.46         | 1.68 |
|                                                                                            | 25       | 12                                                          | 0.73 | 1.60         | 1.85 | 15                                                          | 1.15 | 1.57         | 1.82 | 17                                                          | 1.51 | 1.51         | 1.74 |
|                                                                                            | 30       | 12                                                          | 0.84 | 1.68         | 1.95 | 15                                                          | 1.24 | 1.59         | 1.84 | 17                                                          | 1.53 | 1.53         | 1.77 |
|                                                                                            | 35       | 13                                                          | 0.97 | 1.80         | 2.08 | 16                                                          | 1.37 | 1.55         | 1.79 | 18                                                          | 1.67 | 1.49         | 1.72 |
|                                                                                            | 40       | 13                                                          | 0.98 | 1.91         | 2.21 | 17                                                          | 1.51 | 1.60         | 1.85 | 19                                                          | 1.84 | 1.47         | 1.70 |
| 180°<br>  | 20       | 11                                                          | 1.00 | 1.59         | 1.84 | 14                                                          | 1.54 | 1.51         | 1.75 | 16                                                          | 1.94 | 1.46         | 1.68 |
|                                                                                            | 25       | 12                                                          | 1.10 | 1.60         | 1.85 | 15                                                          | 1.72 | 1.57         | 1.82 | 17                                                          | 2.26 | 1.51         | 1.74 |
|                                                                                            | 30       | 12                                                          | 1.26 | 1.68         | 1.95 | 15                                                          | 1.86 | 1.59         | 1.84 | 17                                                          | 2.30 | 1.53         | 1.77 |
|                                                                                            | 35       | 13                                                          | 1.46 | 1.80         | 2.08 | 16                                                          | 2.06 | 1.55         | 1.79 | 18                                                          | 2.50 | 1.49         | 1.72 |
|                                                                                            | 40       | 13                                                          | 1.68 | 1.91         | 2.21 | 17                                                          | 2.26 | 1.60         | 1.85 | 19                                                          | 2.76 | 1.47         | 1.70 |
| 240°<br> | 20       | 11                                                          | 1.33 | 1.59         | 1.84 | 14                                                          | 2.05 | 1.51         | 1.75 | 16                                                          | 2.59 | 1.46         | 1.68 |
|                                                                                            | 25       | 12                                                          | 1.47 | 1.60         | 1.85 | 15                                                          | 2.29 | 1.57         | 1.82 | 17                                                          | 3.01 | 1.51         | 1.74 |
|                                                                                            | 30       | 12                                                          | 1.68 | 1.68         | 1.95 | 15                                                          | 2.48 | 1.59         | 1.84 | 17                                                          | 3.07 | 1.53         | 1.77 |
|                                                                                            | 35       | 13                                                          | 1.95 | 1.80         | 2.08 | 16                                                          | 2.75 | 1.55         | 1.79 | 18                                                          | 3.33 | 1.49         | 1.72 |
|                                                                                            | 40       | 13                                                          | 2.24 | 1.91         | 2.21 | 17                                                          | 3.01 | 1.60         | 1.85 | 19                                                          | 3.68 | 1.47         | 1.70 |
| 270°<br> | 20       | 11                                                          | 1.50 | 1.59         | 1.84 | 14                                                          | 2.31 | 1.51         | 1.75 | 16                                                          | 2.91 | 1.46         | 1.68 |
|                                                                                            | 25       | 12                                                          | 1.65 | 1.60         | 1.85 | 15                                                          | 2.58 | 1.57         | 1.82 | 17                                                          | 3.39 | 1.51         | 1.74 |
|                                                                                            | 30       | 12                                                          | 1.89 | 1.68         | 1.95 | 15                                                          | 2.79 | 1.59         | 1.84 | 17                                                          | 3.45 | 1.53         | 1.77 |
|                                                                                            | 35       | 13                                                          | 2.19 | 1.80         | 2.08 | 16                                                          | 3.09 | 1.55         | 1.79 | 18                                                          | 3.75 | 1.49         | 1.72 |
|                                                                                            | 40       | 13                                                          | 2.52 | 1.91         | 2.21 | 17                                                          | 3.39 | 1.60         | 1.85 | 19                                                          | 4.14 | 1.47         | 1.70 |
| 360°<br> | 20       | 11                                                          | 2.00 | 1.59         | 1.84 | 14                                                          | 3.08 | 1.51         | 1.75 | 16                                                          | 3.88 | 1.46         | 1.68 |
|                                                                                            | 25       | 12                                                          | 2.20 | 1.60         | 1.85 | 15                                                          | 3.44 | 1.57         | 1.82 | 17                                                          | 4.52 | 1.51         | 1.74 |
|                                                                                            | 30       | 12                                                          | 2.52 | 1.68         | 1.95 | 15                                                          | 3.72 | 1.59         | 1.84 | 17                                                          | 4.60 | 1.53         | 1.77 |
|                                                                                            | 35       | 13                                                          | 2.92 | 1.80         | 2.08 | 16                                                          | 4.12 | 1.55         | 1.79 | 18                                                          | 5.00 | 1.49         | 1.72 |
|                                                                                            | 40       | 13                                                          | 3.36 | 1.91         | 2.21 | 17                                                          | 4.52 | 1.60         | 1.85 | 19                                                          | 5.52 | 1.47         | 1.70 |

**Bold** = Recommended pressure

Copyright © 2026 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://api.hunterirrigation.com/irrigation-product/nozzles/pro-adjustable-nozzles>  
020326